

thinkspace



hushphone

OFFICE PHONE CALLS HAVE NEVER BEEN SO COMFORTABLE



hushoffice

WE PROVIDE SEPARATE MOBILE SPACES, REPLACING STRESS WITH **HARMONY & PEACE.**



Modern workplaces are adapting to the needs of the people who perform their jobs in them. More and more employees express the desire to find acoustic solutions which would let them work in peace and be more effective. Providing special zones for phone calls and videoconferences has become one of the crucial elements of an office that is friendly and open to the needs of employees. The best solutions should be flexible and inexpensive to implement, and this is exactly what we provide.

HUSHPHONE IS A PERFECT PLACE FOR:



Private videoconferences



Trade negotiations



Confidential telephone conversations



W. 41.3 in
H. 87.8 in
D. 35.4 in



- 1 Led ceiling light run by motion sensor
- 2 Efficient ventilation run by motion sensor
- 3 Power module (power + USB type A, USB type C)
- 4 Tempered, laminated acoustic glass door with high quality handle
- 5 Laminated acoustic glass rear wall
- 6 Ergonomic shelf/storage
- 7 Fold-away laptop table
- 8 Acoustic lined fabric panels
- 9 Integral carpeted floor
- 10 Leveling feet
- 11 Integrated castors



WHY IS THE HUSHPHONE A UNIQUE OFFICE SOLUTION?



COMPACT

HushPhone occupies only 10 ft² – the small dimensions and weight allow it to be set or adjusted to the current needs of any organisation.



FUNCTIONAL

Equipped with lighting, a ventilation system, a folding laptop table, and 110V & USB sockets.



COMFORTABLE TO USE

Thanks to the armrest, a movement sensor which activates the lighting and ventilation, and a rear wall made of glass, the hushPhone provides an excellent user experience.



AGILE

HushPhone is equipped with castors which allows you to move it around the office whenever you need.

CERTIFICATION:



Warranty



Made in EU



Premium wool
CAL 117



Certificates



hushphone



greenWalls

Take care about the quality of the air in your office. Each Hush can be equipped with green wall, full of the vital plants.



3 different dimensions, fits to each Hush pod.

The manufacturer reserves the right to introduce design modifications and change parameters that do not impair the usability of the products. The colours shown in the catalogue may differ from the actual colours of the products.

Find out more by visiting our website.

hushoffice.com



hushoffice

FINISHES

Upholstery Wool

TJA JADE	TSG SEAGRASS	TLI LICHEN	TWO WOODBINE	TMS MUSTARD	TCA CAMEO
TBI BISCUIT	TDU DUST	THI CHINCHILA	TTM AUTUMN	TSN SIENNA	TTE TERRA-COTTA
TFI FIRE	TPL PLUM	TPC PELICAN	TSI SILVER	TPE PEWTER	TGR GREY
TON ONYX	TST STORM	TIN INDIGO	TEG EGGPLANT	TFU FUCHSIA	TOR ORCHID
THY HYACINTH	TCL CLOUD	TRC ARCTIC	TEM EMERALD		

MFC Exterior

ABB WHITE	AGC COSMOS GREY
--------------	--------------------

Worktop

ABB WHITE	AGA BLACK	MDN OAK
--------------	--------------	------------

Shelf

JBM WHITE	JGC LAQUERED COSMOS GREY
--------------	-----------------------------

Front glass

PRZ CLEAR

Rear glass

PRZ CLEAR

Aluminium profile

JGC LAQUERED COSMOS GREY

Hinge/door handle

JAL ANODIZED ALUMINIUM	JGC LAQUERED COSMOS GREY
---------------------------	-----------------------------

In October 2020 ICC-ES Acceptance Criteria 519 "Enclosed Booths for Installation Inside New and Existing Buildings" (AC 519) were published. AC 519 covers all the relevant building code issues that office pods have faced. All HushOffice acoustic pods are substantially compliant with the requirements of AC 519, except for 32" clear opening width (HushPhone, HushMeet, HushTwin, HushWork and HushLarge) and the 80" door clear opening height requirement (HushPhone, HushHybrid, HushMeet, HushTwin, HushWork and HushLarge) of the IBC. The difference does not compromise the safety or egress possibilities of the occupants using the pod. Please remember that according to AC-519 if an enclosed booth does not comply with the means of egress, accessibility and interior space dimension requirements of IBC Chapters 10, 11 and 12, respectively, the plans must be submitted to, and approved by, the code official at the time of permit application.