

HushAccess.L

BY HUSHOFFICE



WE PROVIDE SEPARATE MOBILE SPACES, REPLACING STRESS WITH **HARMONY** & **PEACE**. Our modular meeting pod is designed up to for 4-6 people, making it the ideal place to co-create, brainstorm and have meetings. Extremely low doorstep and wider door enable many different meeting arrangements and easy access with a wheelchair. Our color schemes fit all styles and make it ultra-flexible solution for all office spaces.

HUSHACCESS.L IS A PERFECT PLACE FOR:



meetings

Highly private



Formal meetings






Work requiring concentration



Group video conferences



W. 102 in H. 87.4 in D. 106.2 in



ADA Compliant





height of the threshold

WHY IS THE **HUSHACCESS.L** A UNIQUE OFFICE SOLUTION?



FUNCTIONAL

- LED light
- air ventilation
- plug and play

EASILY ADAPTABLE

- left/right handed door
- quick&easy to assemble
 - multiple finishes

[**†**] [°]

COMFORTABLE TO USE

- spacious insideendless interior
- layout options

CERTIFICATION:







Premium wool CAL 117







hushaccess.L





Premium Wool Interior



MFC Exterior Central column Front glass Aluminium profile ABB AGC ABB AGC PRZ JGC COSMOS GREY COSMOS GREY WHITE WHITE CLEAR Tabletop Rear glass Hinge/door handle AGC ABB PRZ AQUERED COSMOS GREY COSMOS WHITE CLEAR

The manufacturer reserves the right to introduce design modifications and change parameters that do not impair the usability of the products. The colours shown in the catalogue may differ from the actual colours of the products.

In October 2020 ICC-ES Acceptance Criteria 519 "Enclosed Booths for Instal-lation Inside New and Existing Buildings" (AC 519) were published. AC 519 covers all the relevant building code issues that office pods have faced. All HushOffice acoustic pods are substantially compliant with the requirements of AC 519, except for 32' clear opening width (HushPhone, HushTowin, HushWork and HushLarge) and the 80" door clear opening height requirement (HushPhone,HushHybrid, HushWet, HushTwin, HushWork and HushLarge) of the IBC. The difference does not compromise the safety or egress possibilities of the occupants using the pod. Please remember that according to AC-519 If an enclosed booth does not comply with the means of egress, accessibility and interior space dimension requirements of IBC Chapters 10, 11 and 12, respectively, the plans must be submitted to, and approved by, the code official at the time of permit application.