


BY SUPERLAB FOR GLIMAKRA OF SWEDEN




BY SUPERLAB FOR GLIMAKRA OF SWEDEN

JungleWall is a series of sound absorbing leaves in different patterns. The leaves are made of felt and mounted in a way that creates a distance to the wall which is a good condition for sound absorption. JungleWall is advantageously used in large quantities in a workplace or public environment as a background wall.

## Dimensions





Royal Fern

#### Options

Hook

For suspension there are:

- Stained hook in solid ash.
- Black bioplastics clips (Biodolomer®)

Clips

Round bar

Round bar in solid ash, ø 30 mm,
length: 1300 mm, 1900 mm, 2500 mm, 3100 mm.
2 wires with loops per round bar c/c 600 mm.
We recommend ordering more leaves for stand-alone suspension with a round rod as you can hang leaves on both sides.

#### Banana Leaf

Monstera


3 different leaves. Thickness: 5 mm Weight: 800 g/m<sup>2</sup> (appr. 100 g/leaf) 100% recyclable material. Deliveres in 6-pack/leaf. Complete with fittings.

### Description

Leaf: 5 mm polyester felt Suspension: hook in solid ash or clips and round bar Mounting: Leaf and hook screwed directly onto wall. Round bar is hung with wire in the ceiling.

#### Felt

Green standard colours 446, 447, 448. Other colours on request (see page 4).



Photographic felt scans are displayed as a guide and colour variations may occur. If needed, we advise you request actual felt samples before ordering.



#### BY SUPERLAB FOR GLIMAKRA OF SWEDEN

#### Certificates

Measurements made in accordance with ISO 354:2003, 2019-04-08. Evaluation made according to standard for individual objects SS 25269:2013 (Report: 19-709-M8 and 19-709-M7) and ISO 11654:1997 (Report: 19-709-M  $a_w$ =0,55 (MH), Absorption class D N<sub>10</sub>: 1,7 (10,79 m. 28 pcs assembly square) N<sub>10</sub>: 9,1 (1,54 m. 4 pcs assembly square) Glimakra of Sweden AB is certified according to

ISO 9001:2015 and ISO 14001:2015.

#### **Specification Text**

Eg: JungleWall wall absorbent in felt. Suspension with hook in solid ash. 6 pcs Banana Leaf green 448

6 pcs Monstera green 448


6 pcs Royal Fern green 448


#### **Fire Reaction**

- EN 13501-1+A1: B-s1, d0
- ASTM E-84-18: Class A
- Abrasion resistance
- UNE-EN 14465+A1: Class A
- ISO 12947- 2 / AC: > 50.000 rubs cycles Martindale Colour fastness to light
- EN ISO 105-B02: 6-7


STANDARD 100 by OEKO-TEX®

## JungleWall a<sub>w</sub>= 0,55 (MH)






#### JungleWall 28 squares (10,79 m<sup>2</sup>) $N_{10} = 1.7$



Equivalent absorption area per object (m<sup>2</sup>S/object)



Equivalent absorption area per object (m<sup>2</sup>S/object)




BY SUPERLAB FOR GLIMAKRA OF SWEDEN

## **Colors on Request**

The felt in these colors is not available in stock, delivery time on request. Min. order quantity of 8 packages (48 leaves) / color.

Photographic felt scans are displayed as a guide and color variations may occur. If needed, we advise you request actual felt samples before ordering.



,o thinkspace

,o thinkspace


BY SUPERLAB FOR GLIMAKRA OF SWEDEN


#### Assembly Example with Hook


In the template there are 5 leaves per 600 x 600 mm. ( $_{\sim}$ 13,8 leaves/m<sup>2</sup>) 2 Banana leaves, 2 Monstera and 1 Royal Fern.

This is repeated sideways. When repeating upwards, the template is moved 300 mm.

- 1. Mounting starts down to the left 440 mm above the floor. (Level 1)
- 2. Mark attachment points on the wall according to the dimensioning. (Level 1)
- 3. The attachment points are copied with c/c 600 mm to the right. (Level 1)
- 4. The next height is placed c/c 600 mm and offset 300 mm to the right. (Level 2)
- 5. Level 3 is copied with c/c 1200 mm from level 1. (Level 3)







BY SUPERLAB FOR GLIMAKRA OF SWEDEN



